















Progression in Calculations

Addition


Bar models and place value counters will be used throughout all strands of calculation.

Objective and Strategies	Concrete	Pictorial	Abstract
Combining two parts to make a whole: part-whole model	  <p>Use cubes to add two numbers together as a group or in a bar.</p> 	   <p>Use pictures to add two numbers together as a group or in a bar.</p> 	$4 + 3 = 7$ $10 = 6 + 4$  <p>Use the part-part whole diagram as shown above to move into the abstract.</p>
Starting at the bigger number and counting on	 <p>Start with the larger number on the bead string and then count on to the smaller number 1 by 1 to find the answer.</p> <p>Counting on using number lines using cubes or Numicon.</p>  	<p>$12 + 5 = 17$</p> <p>A bar model which encourages the children to count on, rather than count all.</p>   <p>Start at the larger number on the number line and count on in ones or in one jump to find the answer.</p>	<p>The abstract number line:</p> <p>What is 2 more than 4? What is the sum of 2 and 4? What is the total of 4 and 2? $4 + 2$</p>  <p>$5 + 12 = 17$</p> <p>Place the larger number in your head and count on the smaller number to find your answer.</p>


Regrouping to make 10.



$$6 + 5 = 11$$




Start with the bigger number and use the smaller number to make 10.



$$3 + 9 =$$

Use pictures or a number line. Regroup or partition the smaller number to make 10.



$$7 + 4 = 11$$

If I am at seven, how many more do I need to make 10. How many more do I add on now?

Adding three single digits


Adding 2 digits to 2 digits – see footnote 1

$$4 + 7 + 6 = 17$$

Put 4 and 6 together to make 10. Add on 7.



Following on from making 10, make 10 with 2 of the digits (if possible) then add on the third digit.



Add together three groups of objects. Draw a picture to recombine the groups to make 10.


$$\begin{array}{l} (4 + 7 + 6) = 10 + 7 \\ = 17 \end{array}$$

Combine the two numbers that make 10 and then add on the remainder.


Column method- no regrouping/exchange

$$24 + 15 =$$

Add together the ones first then add the tens. Use the Base 10 blocks first before moving onto place value counters.



After practically using the base 10 blocks and place value counters, children can draw the counters to help them to solve additions.




Calculations

$$21 + 42 =$$


$$\begin{array}{r} 21 \\ + 42 \\ \hline \end{array}$$

Column method- regrouping /exchange

Make both numbers on a place value grid.



Add up the units and exchange 10 ones for one 10.




Add up the rest of the columns, exchanging the 10 counters from one column for the next place value column until every column has been added.

This can also be done with Base 10 to help children clearly see that 10 ones equal 1 ten and 10 tens equal 100.

As children move on to decimals, money and decimal place value counters can be used to support learning.

Children can draw a pictorial representation of the columns and place value counters to further support their learning and understanding.



Start by partitioning the numbers before moving on to clearly show the exchange below the addition.

$$\begin{array}{r} 20 + 5 \\ 40 + 8 \\ 60 + 13 = 73 \end{array}$$

$$\begin{array}{r} 536 \\ + 85 \\ \hline 621 \\ 11 \end{array}$$

As the children move on, introduce decimals with the same number of decimal places and different. Money can be used here.









$$\begin{array}{r} 72.8 \\ + 54.6 \\ \hline 127.4 \\ 11 \end{array}$$











$$\begin{array}{r} 23.361 \\ 9.080 \\ 59.770 \\ + 1.300 \\ \hline 93.511 \\ 212 \end{array}$$

Conceptual Variation for addition – see footnote 2

Subtraction


Bar models and place value counters will be used throughout all strands of calculation.

Objective and Strategies	Concrete	Pictorial	Abstract
Taking away ones	<p>Use physical objects, counters, cubes etc to show how objects can be taken away.</p>  <p>6 - 2 = 4</p>	<p>Cross out drawn objects to show what has been taken away.</p>  <p>15 - 3 = 12</p>	<p>18 - 3 = 15</p> <p>4 - 3 =</p> 
Counting back	<p>Make the larger number in your subtraction. Move the beads along your bead string as you count backwards in ones.</p>  <p>13 - 4</p> <p>Use counters and move them away from the group as you take them away counting backwards as you go.</p> 	<p>Count back on a number line or number track</p>  <p>Start at the bigger number and count back the smaller number showing the jumps on the number line.</p>  <p>This can progress all the way to counting back using two 2 digit numbers.</p>	<p>Put 13 in your head, count back 4. What number are you at? Use your fingers to help.</p> <p>Children to represent the calculation on a number line or number track and show their jumps. Encourage children to use an empty number line</p> 

<h3>Find the difference</h3>	<p>Compare amounts and objects to find the difference.</p>  <p>Use cubes to build towers or make bars to find the difference</p>  <p>Use basic bar models with items to find the difference</p>	 <p>Count on to find the difference.</p> <h3>Comparison Bar Models</h3> <p>Lisa is 13 years old. Her sister is 22 years old. Find the difference in age between them.</p>  <p>Draw bars to find the difference between 2 numbers.</p>	<p>Find the difference between 8 and 5</p> <p>Hannah has 23 sandwiches, Helen has 15 sandwiches. Find the difference between the number of sandwiches.</p>
<h3>Part Part Whole Model</h3>	 <p>Link to addition- use the part whole model to help explain the inverse between addition and subtraction.</p> <p>If 10 is the whole and 6 is one of the parts. What is the other part?</p> <p>$10 - 6 =$</p>	<p>Use a pictorial representation of objects to show the part part whole model.</p> 	 <p>Move to using numbers within the part whole model.</p>
<h3>Make 10</h3>	<p>$14 - 9 =$</p>  <p>Make 14 on the ten frame. Take away the four first to make 10 and then takeaway one more so you have taken away 5. You are left with the answer of 9.</p>	<p>$13 - 7 = 6$</p>  <p>Start at 13. Take away 3 to reach 10. Then take away the remaining 4 so you have taken away 7 altogether. You have reached your answer.</p>	<p>$16 - 8 =$</p> <p>How many do we take off to reach the next 10? How many do we have left to take off?</p> 


Column method without regrouping

Supporting column method with place value counters – see footnote 3



Use Base 10 to make the bigger number then take the smaller number away eg $75 - 42$

Show how you partition numbers to subtract. Again make the larger number first.



Draw the Base 10 or place value counters alongside the written calculation to help to show working.

$$47 - 24 = 23$$

$$\begin{array}{r} 40 + 7 \\ - 20 + 4 \\ \hline 20 + 3 \end{array}$$


This will lead to a clear written column subtraction.

$$\begin{array}{r} 32 \\ - 12 \\ \hline 20 \end{array}$$



Column method with regrouping

Use Base 10 to start with before moving on to place value counters. Start with one exchange before moving onto subtractions with 2 exchanges.


Make the larger number with the place value counters



Start with the ones, can I take away 8 from 4 easily? I need to exchange one of my tens for ten ones.



Draw the counters onto a place value grid and show what you have taken away by crossing the counters out as well as clearly showing the exchanges you make.



When confident, children can find their own way to record the exchange/regrouping.

Just writing the numbers as shown here shows that the child understands the method and knows when to exchange/regroup.

$$836 - 254 = 582$$

$$\begin{array}{r} \text{H} \quad \text{T} \quad \text{U} \\ 800 \quad 30 \quad 6 \\ - 200 \quad 50 \quad 4 \\ \hline 500 \quad 80 \quad 2 \end{array}$$


Children can start their formal written method by partitioning the number into clear place value columns.

$$728 - 582 = 146$$


$$\begin{array}{r} \text{H} \quad \text{T} \quad \text{U} \\ 7 \quad 2 \quad 8 \\ - 5 \quad 8 \quad 2 \\ \hline 1 \quad 4 \quad 6 \end{array}$$

Moving forward the children use a more compact method.


Now I can subtract my ones.



Now look at the tens, can I take away 8 tens easily? I need to exchange one hundred for ten tens.



Now I can take away eight tens and complete my subtraction







Show children how the concrete method links to the written method alongside your working. Cross out the numbers when exchanging and show where we write our new amount.

This will lead to an understanding of subtracting any number including decimals.

$$\begin{array}{r} 5 \quad 12 \quad 1 \\ 2 \quad \cancel{6} \quad \cancel{3} \quad . \quad \color{red}{0} \\ - \quad 2 \quad 6 \quad . \quad 5 \\ \hline 2 \quad 3 \quad 6 \quad . \quad 5 \end{array}$$



Multiplication

Bar models and place value counters will be used throughout all strands of calculation.

Objective and Strategies	Concrete	Pictorial	Abstract
Doubling	Use practical activities to show how to double a number.	<p>Draw pictures to show how to double a number.</p> <p>Double 4 is 8</p> 	 <p>Partition a number and then double each part before recombining it back together.</p>
Counting in multiples	 <p>Count in multiples supported by concrete objects in equal groups.</p>	 <p>Use a number line or pictures to continue support in counting in multiples.</p>	<p>Count in multiples of a number aloud.</p> <p>Write sequences with multiples of numbers.</p> <p>2, 4, 6, 8, 10</p> <p>5, 10, 15, 20, 25, 30</p>

Repeated addition

Remember bar models:




Use different objects to add equal groups.

There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there?



2 add 2 add 2 equals 6



$$5 + 5 + 5 = 15$$

Write addition sentences to describe objects and pictures.



$$2 + 2 + 2 + 2 + 2 = 10$$



Arrays- showing commutative multiplication

Partition to multiply with Numicon see footnote 4

Create arrays using counters/ cubes to show multiplication sentences.



Draw arrays in different rotations to find **commutative** multiplication sentences.



Link arrays to area of rectangles.

Use an array to write multiplication sentences and reinforce repeated addition.



$$5 + 5 + 5 = 15$$



$$3 + 3 + 3 + 3 + 3 = 15$$

$$5 \times 3 = 15$$

$$3 \times 5 = 15$$



Grid Method

Show the link with arrays to first introduce the grid method.

x	10	3
4		




4 rows
of 10
4 rows
of 3

Move on to using Base 10 to move towards a more compact method.

x	T	U
4		
















4 rows of 13

Move on to place value counters to show how we are finding groups of a number. We are multiplying by 4 so we need 4 rows.
























Calculations
4 x 126

Fill each row with 126.

Calculations
4 x 126


Add up each column, starting with the ones making any exchanges needed.

Then you have your answer.

Children can represent the work they have done with place value counters in a way that they understand.

They can draw the counters, using colours to show different amounts or just use circles in the different columns to show their thinking as shown below.



Start with multiplying by one digit numbers and showing the clear addition alongside the grid.

x	30	5
7	210	35

$$210 + 35 = 245$$


Moving forward, multiply by a 2 digit number showing the different rows within the grid method.

	10	8
10	100	80
3	30	24

x	1000	300	40	2
10	10000	3000	400	20
8	8000	2400	320	16



Column multiplication

Children can continue to be supported by place value counters at the stage of multiplication.



It is important at this stage that they always multiply the ones first and note down their answer followed by the tens which they note below.

Bar modelling and number lines can support learners when solving problems with multiplication alongside the formal written methods.



Children to record what it is they are doing to show understanding.

$$\begin{array}{l} 3 \times 23 \\ \swarrow \searrow \\ 20 \quad 3 \end{array} \quad \begin{array}{l} 3 \times 20 = 60 \\ 3 \times 3 = 9 \\ 60 + 9 = 69 \end{array}$$

$$\begin{array}{r} 23 \\ \times 3 \\ \hline 69 \end{array}$$

Start with long multiplication, reminding the children about lining up their numbers clearly in columns.

If it helps, children can write out what they are solving next to their answer.

$$\begin{array}{r} 32 \\ \times 24 \\ \hline 8 \quad (4 \times 2) \\ 120 \quad (4 \times 30) \\ 40 \quad (20 \times 2) \\ 600 \quad (20 \times 30) \\ \hline 768 \end{array}$$

$$\begin{array}{r} 7 4 \\ \times 6 3 \\ \hline 1 2 \\ 2 1 0 \\ 2 4 0 \\ + 4 2 0 0 \\ \hline 4 6 6 2 \end{array}$$

$$\begin{array}{r} 1 3 4 2 \\ \times 1 8 \\ \hline 1 0 7 3 6 \\ 1 3 4 2 0 \\ \hline 2 4 1 5 6 \\ \hline 2 3 1 \\ 1 \end{array}$$








This moves to the more compact method.

Conceptual variation multiplication – see foot note 5

--	--	--	--

Division


Bar models and place value counters will be used throughout all strands of calculation.

Objective and Strategies	Concrete	Pictorial	Abstract			
<p>Sharing objects into groups</p> <p>Don't forget bar models!</p> 	 <p>I have 10 cubes, can you share them equally in 2 groups?</p>	<p>Children use pictures or shapes to share quantities.</p> 	<p>Share 9 buns between three people.</p> <table border="1" data-bbox="1727 403 2080 451"><tr><td>3</td><td>3</td><td>3</td></tr></table> <p>$9 \div 3 = 3$</p>	3	3	3
3	3	3				
<p>Division as grouping</p> <p>Repeated Subtraction – see footnote 6</p>	<p>Divide quantities into equal groups. Use cubes, counters, objects or place value counters to aid understanding.</p>  <p>$96 \div 3 = 32$</p> 	<p>Use a number line to show jumps in groups. The number of jumps equals the number of groups.</p>  <p>Think of the bar as a whole. Split it into the number of groups you are dividing by and work out how many would be within each group.</p> 	<p>$28 \div 7 = 4$</p> <p>Divide 28 into 7 groups. How many are in each group?</p>			

Division within arrays

Sharing using place value counters - see footnote 7

Link division to multiplication by creating an array and thinking about the number sentences that can be created.
Eg $15 \div 3 = 5$ $5 \times 3 = 15$
 $15 \div 5 = 3$ $3 \times 5 = 15$




Draw an array and use lines to split the array into groups to make multiplication and division sentences.


Find the inverse of multiplication and division sentences by creating four linking number sentences.
 $7 \times 4 = 28$
 $4 \times 7 = 28$
 $28 \div 7 = 4$
 $28 \div 4 = 7$

Division with a remainder


$14 \div 3 =$
Divide objects between groups and see how much is left over



Jump forward in equal jumps on a number line then see how many more you need to jump to find a remainder.




Draw dots and group them to divide an amount and clearly show a remainder.




Complete written divisions and show the remainder using r.
 $29 \div 8 = 3 \text{ REMAINDER } 5$
↑ ↑ ↑ ↑
dividend divisor quotient remainder

Short division




Use place value counters to divide using the bus stop method alongside




$$42 \div 3 =$$

Start with the biggest place value, we are sharing 40 into three groups. We can put 1 ten in each group and we have 1 ten left over.




We exchange this ten for ten ones and then share the ones equally among the groups.



We look how much in 1 group so the answer is 14.

Students can continue to use drawn diagrams with dots or circles to help them divide numbers into equal groups.



Encourage them to move towards counting in multiples to divide more efficiently.

Begin with divisions that divide equally with no remainder.

$$\begin{array}{r} 218 \\ 3 \overline{) 872} \end{array}$$

Move onto divisions with a remainder.


$$\begin{array}{r} 86 \text{ r } 2 \\ 5 \overline{) 432} \end{array}$$

Finally move into decimal places to divide the total accurately.

$$\begin{array}{r} 14.6 \\ 35 \overline{) 511.0} \end{array}$$


Long division

Maths lead team unsure about the level of use of place value counters here!




$2544 \div 12$
How many groups of 12 in the thousands? None

Exchange 2 thousand for 20 hundreds.




$$12 \overline{) 2544}^0$$

How many groups of 12 are in 25 hundreds? 2 groups. Circle them. We have grouped 24 hundreds so can take them off and we are left with one.




$$12 \overline{) 2544}^{02} \\ \underline{24} \\ 1$$

Exchange the one hundred for ten tens so now we have 14 tens. How many groups of 12 are in 14? 1 remainder 2



$$12 \overline{) 2544}^{021} \\ \underline{24} \\ 14 \\ \underline{12} \\ 2$$

Exchange the two tens for twenty ones so now we have 24 ones. How many groups of 12 are in 24? 2



$$12 \overline{) 2544}^{0212} \\ \underline{24} \\ 14 \\ \underline{12} \\ 24 \\ \underline{24} \\ 0$$



Instead of using physical counters, students can draw the counters and circle the groups on a whiteboard or in their books.

Use this method to explain what is happening and as soon as they have understood what move on to the abstract method as this can be a time consuming process.



$$\begin{array}{r} 0318r5 \\ 20 \overline{) 6365} \\ \underline{60} \\ 36 \\ \underline{20} \\ 165 \\ \underline{160} \\ 5 \end{array}$$

Conceptual Variation – Division – see Footnote 8


Footnote 1 Partitioning and place value

<p>TO + TO using base 10. Continue to develop understanding of partitioning and place value. $36 + 25$</p> 	<p>Children to represent the base 10 in a place value chart.</p> 	<p>Looking for ways to make 10.</p> <p>$36 + 25 =$</p> <p>30 + 20 = 50 5 + 5 = 10 50 + 10 + 1 = 61</p> <p>36</p> <p>Formal method:</p> <table border="1"><tr><td>36</td></tr><tr><td>+25</td></tr><tr><td>61</td></tr><tr><td>1</td></tr></table>	36	+25	61	1
36						
+25						
61						
1						


Footnote 2 Conceptual variation Addition

Conceptual variation; different ways to ask children to solve $21 + 34$															
 <table border="1"><tr><td colspan="2">?</td></tr><tr><td>21</td><td>34</td></tr></table>	?		21	34	<p>Word problems: In year 3, there are 21 children and in year 4, there are 34 children. How many children in total?</p> <p>$21 + 34 = 55$. Prove it</p>	<p>21 $+34$ —</p> <p>$21 + 34 =$</p> <p> $= 21 + 34$</p> <p>Calculate the sum of twenty-one and thirty-four.</p>	 <p>Missing digit problems:</p> <table border="1"><tr><th>10s</th><th>1s</th></tr><tr><td>20</td><td>1</td></tr><tr><td>30</td><td>?</td></tr><tr><td>?</td><td>5</td></tr></table>	10s	1s	20	1	30	?	?	5
?															
21	34														
10s	1s														
20	1														
30	?														
?	5														

Footnote 3 Supporting column subtraction method with place value counters



Footnote 4 Partition to multiply with Numicon



Footnote 5 - Conceptual variation – multiply

Conceptual variation; different ways to ask children to solve 6×23														
<table border="1"><tr><td>23</td><td>23</td><td>23</td><td>23</td><td>23</td><td>23</td></tr></table> <div style="border: 1px solid blue; width: 150px; height: 20px; margin: 5px auto;"></div> <p style="text-align: center; margin-top: 10px;">?</p>	23	23	23	23	23	23	<p>Mai had to swim 23 lengths, 6 times a week. How many lengths did she swim in one week?</p> <p>With the counters, prove that $6 \times 23 = 138$</p>	<p>Find the product of 6 and 23</p> <p>$6 \times 23 =$</p> <div style="display: flex; align-items: center; margin: 5px 0;"><div style="border: 2px dashed blue; width: 20px; height: 20px; margin-right: 5px;"></div>$= 6 \times 23$</div> <div style="display: flex; justify-content: space-around; align-items: center;"><div style="text-align: center;">$\begin{array}{r} 6 \\ \times 23 \\ \hline \end{array}$</div><div style="text-align: center;">$\begin{array}{r} 23 \\ \times 6 \\ \hline \end{array}$</div></div> <p>What is the calculation? What is the product?</p> <table border="1" style="width: 100%; text-align: center;"><thead><tr style="background-color: #f8d7da;"><th>100s</th><th>10s</th><th>1s</th></tr></thead><tbody><tr><td style="height: 100px;"></td><td style="vertical-align: middle;"><div style="display: flex; flex-direction: column; align-items: center;"><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div></div></td><td style="vertical-align: middle;"><div style="display: flex; flex-direction: column; align-items: center;"><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div></div></td></tr></tbody></table>	100s	10s	1s		<div style="display: flex; flex-direction: column; align-items: center;"><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div></div>	<div style="display: flex; flex-direction: column; align-items: center;"><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div></div>
23	23	23	23	23	23									
100s	10s	1s												
	<div style="display: flex; flex-direction: column; align-items: center;"><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: yellow; width: 10px; height: 10px; margin: 2px;"></div></div>	<div style="display: flex; flex-direction: column; align-items: center;"><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div><div style="background-color: #90ee90; width: 10px; height: 10px; margin: 2px;"></div></div>												

Footnote 6 Repeated Subtraction – early on in Division

<p>Repeated subtraction using Cuisenaire rods above a ruler. $6 \div 2$</p> <p>3 groups of 2</p>	<p>Children to represent repeated subtraction pictorially.</p>	<p>Abstract number line to represent the equal groups that have been subtracted.</p>
---	--	--

Footnote 7 Sharing using place value counters

Sharing using place value counters.
 $42 \div 3 = 14$

Children to represent the place value counters pictorially.

Children to be able to make sense of the place value counters and write calculations to show the process.

$42 \div 3$
 $42 = 30 + 12$
 $30 \div 3 = 10$
 $12 \div 3 = 4$
 $10 + 4 = 14$

Footnote 8 Conceptual Variation – Division

Conceptual variation; different ways to ask children to solve $615 \div 5$

Using the part whole model below, how can you divide 615 by 5 without using short division?

I have £615 and share it equally between 5 bank accounts. How much will be in each account?

615 pupils need to be put into 5 groups. How many will be in each group?

$5 \overline{)615}$

$615 \div 5 =$

$\square = 615 \div 5$

What is the calculation?
What is the answer?